

ACCESSORIES & ADD-ONS

GIGABYTE Motherboard Accessory Cables For Use With Gigabyte Mainboards Only

GC-USB-2P	GIGABYTE® 10-Pin 2-Port USB cable
GC-USB-4P	GIGABYTE® 10-Pin 4-Port USB 2.0 cable
GC-USB1394	GIGABYTE® 10-Pin 4-Port USB 2.0 + IEEE1394 Cable
GC-SPDIF	GIGABYTE® SPDIF adapter for 6-channel sound device
GC-SATAP11	GIGABYTE® SATA Power cable - 1 connector
GC-SATAP12	GIGABYTE® SATA Power cable - 2 connectors
GC-SATA21	GIGABYTE® SATA Data Cable - 2 connectors
GC-SATA41	GIGABYTE® SATA Data Cable - 4 connectors
GC-1GM001	GIGABYTE® Game Port Cable

Kouwell Electronics PCI / USB Input/Output Cards

Kouwell SCSI Card

KW-830UA	Kouwell/EPCI Ultra SCSI Card (AdvanSys ASC3050B) Up to 20MB/sec, 7 SCSI devices, Boot ROM, - for PC
KW-898B	Kouwell/EPCI Ultra 160 Dual Channel SCSI Card - supports SCSI -1,-2,-3, Ultra 2, Ultra 3, up to 30 SCSI devices
KW-899	Kouwell/EPCI-X 64-Bit Ultra 320 Dual Channel SCSI Card - supports SCSI -1,-2,-3, Ultra 2, Ultra 3, up to 30 SCSI devices

Kouwell PCI Multi-I/O Card - IDE RAID, Printer Port, Serial Port

KW-220N-2	Kouwell/EPCI EPP (Enhanced Parallel Port) , 2 x LPT Port Card
KW-221N-2	Kouwell/EPCI Serial Card , 2 x Serial Port Card
KW-222N-2	Kouwell/EPCI 2 x Serial & 1 x Printer (LPT (EPP) Card
KW-223NP-4	Kouwell/EPCI 4 x Serial & 1 x Printer (LPT (EPP) Riser Card
KW-571A	Kouwell/EPCI Ultra ATA/100 two channel IDE Controller Card - 66MHz PCI bus
KW-571S	Kouwell/E2-Port Internal PCI to Serial ATA host controller - SATA1.0 Compliant
KW-571B	Kouwell/EPCI Ultra ATA/133 two channel IDE RAID Controller Card - Raid 0,1,0+1, supports up to 4 IDE devices, 66MHz PCI bus
KW-571S-4	Kouwell/E4-Port Internal PCI to Serial ATA Host controller - SATA1.0 Compliant

Kouwell IEEE 1394 PCI CARD/HUB: Internal & External

KW-1582V	Kouwell/EIEEE1394a 3 Port PCI Card, Support up to 63 devices that can run simultaneously
KW-7002V	Kouwell/EUSB2.0 & IEEE1394 PCI Combo Card, 4x USB 2.0 Ports (1 Internal) / 3x IEEE1394 Ports (1 Internal)
KW-F7002V	Kouwell/EFront Panel USB2.0 & IEEE1394 Combo, Includes PCI Connection Card, 4x USB 2.0 Ports / 3x IEEE1394 Ports
KW-7004V	Kouwell/EPCMCIA CardBus USB2.0 & IEEE1394 Combo Card For Notebooks, 2x USB 2.0 Ports / 2x IEEE1394 Ports (1x 6 Pin, 1x 4 Pin)
KW-7102	Kouwell/EIEEE 1394 Combo USB (Ver 1.1) : 3 1/2" Rack Design Hub
KW-7002	Kouwell/EIEEE 1394 Combo USB (Ver 2.0) : 3 1/2" Rack Design Hub

Kouwell USB Products - PCI HOST Card, External USB Hub, USB-IDE, USB-Ethernet, USB-HOME PNA, USB-Printer, USB Link

KW-2580N4	Kouwell/EPCI Internal USB (Ver 2.0) 4-Port HUB Riser Card : Ver 1.1 / Ver 2.0 (Data Transfer Rate @ 1.5/480 Mbps)
KW-591	Kouwell/EUSB (Ver 1.1) Front Panel (3.5" Bay) 4-Port HUB: Automatically detects device's speed and connection
KW-591A	Kouwell/EUSB (Ver 1.1) Front Panel (5.25" Bay) 4-Port HUB: Automatically detects device's speed and connection
KW-2580H	Kouwell/EPCI Internal USB (Ver 2.0) 5-Port HUB : Ver 1.1 / Ver 2.0 (Data Transfer Rate @ 1.5/480 Mbps)
KW-592	Kouwell/EIDE to USB 1.1 Converter, Supports 1x IDE Drive, Fully USB 1.1 Compliant, Internal / External (Is Not A Housing)

Sony Notebook Accessories

VGP-AC16V8	Sony/EAC Adaptor for Sony/ETX Series Notebooks
VGP-AC19V10	Sony/EAC Adaptor for Sony/ES/ FS / FJ Series Notebooks
VGP-AC19V7	Sony/EAC Adaptor for Sony/EA Series Notebooks
VGP-BPL5	Sony/EBattery Pack for Sony/ETX Series Notebooks
VGP-BPL2	Sony/EBattery Pack for Sony/ES/ FS/ FJ Series Notebooks
PCGA-BP2EA	Sony/EBattery Pack for Sony/EA Series Notebooks
VGP-PRTX1	Sony/EPort Replicator for Sony/ETX Series Notebooks
VGP-PRFS1	Sony/EPort Replicator for Sony/EFS Series Notebooks
VGP-PRFJ1	Sony/EPort Replicator for Sony/EFJ Series Notebooks
VGP-PRS2	Sony/EPort Replicator for Sony/ES Series Notebooks
VGP-CKTX1	Sony/ECarry Case for Sony/ETX Series Notebooks
VAIOCASE13	Sony/EVAIO Carry Case for 13" Sony/ENotebooks
VAIOCASE15	Sony/EVAIO Carry Case for 15/15.4" Sony/ENotebooks

CNET Print Servers & Internet Sharing Devices

CNP-101U	CNet/EUSB Print Server - 1 x USB port print server with 1x 10/100 LAN Port
CNP-410S	CNet/E Print server - 1 x Parallel port print server with 1 10/100 LAN Port
CNP-101UW	CNet/EUSB Wireless Print server - 1x USB port print server with Wireless Support & 1x 10/100 LAN Port
CNP-430	CNet/E Print server - 3 Parallel port supporting up to three (3) printers for increased productivity, 1x 10/100 LAN Port

CNET USB Hub Products

CNUSB-27	CNet/E7-port Self Power USB 2.0 Hub with Power Management
----------	---

ATEN KVM HARDWARE

ATEN KVM SWITCHES

ATEN 2 Port KVM Switches

CS-62AZ	ATEN/ECS62AZ PETIT 2 Port PS/2 Cable KVM Switch - For 2 PC's, PS/2 PC Interface - Special Built-In Cable Interface - Ultra Compact
CS-82AC	ATEN/ECS82 MasterView 2 Port PS/2 KVM Switch - For 2 PC's, PS/2 PC Interface, Button Press Selection - Includes Cables (2x 1.2 Meter)

CS-1732C	ATEN/EC1732 MasterView 2 Port KVMP Switch w/USB - PS/2 & USB PC Interface, Button Press Selection - Includes Cables (2x 1.2 Meter)
CS-1742	ATEN/EC1742 MasterView 2 Port DualView KVM Switch w/USB - For 2 PC's In DualView (2 Monitors/PC) - Includes Cables (4x 1.8 Meter)

ATEN 4 Port KVM Switches

CS-64AZ	ATEN/EC64AZ PETIT 4 Port PS/2 Cable KVM Switch - For 4 PC's, PS/2 PC Interface - Special Built-In Cable Interface - Ultra Compact
CS-84AC	ATEN/EC84 MasterView 4 Port PS/2 KVM Switch - For 4 PC's, PS/2 PC Interface, Button Press Selection - Includes Cables (2x 1.2m & 2x 1.8m)
CS-1734C	ATEN/EC1734 MasterView 4 Port KVMP USB Switch - PS/2 & USB PC Interface, Button Press Selection - Includes Cables (2x 1.2m & 2x 1.8m)
CS-1744	ATEN/EC1744 MasterView 4 Port DualView KVM Switch w/USB - For 4 PC's In DualView (2 Monitors/PC) - Includes Cables (8x 1.8 Meter)
CS-1004	ATEN/EC1004 MasterView-Plus 4 Port Enterprise KVM - Rackmountable, OSD Support, Chain Up To 31 Units (128 PC's) - Cables Required

ATEN 8 Port KVM Switches

CS-88	ATEN/EC88 MasterView 8 Port PS/2 KVM Switch - For 8 PC's, PS/2 PC Interface, Button Press Selection - Cables Required - 2L-100xP/C
CS-1758	ATEN/EC1758 MasterView Max 8 Port KVM w/USB & PS/2 - 3 Level Cascade (512 PC's), Rackmountable, OSD - Cables Required - 2L-530xP/U
CS-1008	ATEN/EC1008 MasterView-Plus 8 Port Enterprise KVM - Rackmountable, OSD Support, Chain Up To 31 Units (256 PC's) - Cables Required
CS-1208LA	ATEN/EC1208 MasterView Max Enterprise LCD 8 Port KVM w/Built-In Keyboard & Touchpad , Rackmountable, Slide-Away - Cables Required

ATEN 16 Port KVM Switches

CS-1716	ATEN/EC1716 MasterView Max Enterprise 16 Port KVM W/ USB - OSD Support, Chain Up To 31 Units (512PC's) - Includes 2 Cables
CL-1200LA	ATEN/ECL1200 KVM Console Module, With 15" LCD, Keyboard, Touchpad, Rackmountable
CL-1216	ATEN/ECL1216 MasterView Max Enterprise LCD 16 Port KVM w/Built-In Keyboard & Touchpad , Rackmountable, Slide-Away - Cables Required

ATEN KVM Switch Range Extenders

CE220	ATEN/ECE220 Console Extender For PS/2 KVM - Up To 150m From Actual Console
CE250	ATEN/ECE250 KVM Console Range Extender Up To 150m. Auto Detection Of Distance For VGA Signals
CE300	ATEN/ECE300 KVM Console Range Extender & Auto Detection Of Distance For VGA Signals
CE700	ATEN/E CE700 USB KVM Range Extender - VGA Signal Distance Auto Detection

ATEN KVM CABLES

ATEN KVM Cable Kits

2L-1001P/C	ATEN/EKVM Cable For CS-82A / CS-84A / CS-88A - 1.8 Meter Single KVM Cable
2L-1003P/C	ATEN/EKVM Cable For CS-82A / CS-84A / CS-88A - 3 Meter Single KVM Cable
2L-1005P/C	ATEN/EKVM Cable For CS-82A / CS-84A / CS-88A - 5 Meter Single KVM Cable
2L-1006P/C	ATEN/EKVM Cable For CS-82A / CS-84A / CS-88A - 6 Meter Single KVM Cable
2L-1010P/C	ATEN/EKVM Cable For CS-82A / CS-84A / CS-88A - 10 Meter Single KVM Cable
2L-5201P	ATEN/EKVM Cable For CS1208AL / CS1216AL - 1.2 Meter Single KVM Cable
2L-5202P	ATEN/EKVM Cable For CS1208AL / CS1216AL - 2.0 Meter Single KVM Cable
2L-5203P	ATEN/EKVM Cable For CS1208AL / CS1216AL - 3.0 Meter Single KVM Cable
2L-5202UP	ATEN/EKVM Cable For CS1208AL / CS1216AL - 2.0 Meter Single KVM / USB Combo Cable
2L-5203UP	ATEN/EKVM Cable For CS1208AL / CS1216AL - 3.0 Meter Single KVM / USB Combo Cable
2L-5206UP	ATEN/EKVM Cable For CS1208AL / CS1216AL - 6.0 Meter Single KVM Cable
2L-5301P	ATEN/EKVM Cable For CS1732 / CS1742 / CS1758 - 1.2 Meter Single KVM Cable
2L-5303P	ATEN/EKVM Cable For CS1732 / CS1742 / CS1758 - 3.0 Meter Single KVM Cable
2L-5305P	ATEN/EKVM Cable For CS1732 / CS1742 / CS1758 - 5.0 Meter Single KVM Cable
2L-5303U	ATEN/EKVM Cable For CS1732 / CS1742 / CS1758 - 3.0 Meter Single KVM / USB Combo Cable
2L-5305U	ATEN/EKVM Cable For CS1732 / CS1742 / CS1758 - 5.0 Meter Single KVM / USB Combo Cable
2L-5201U	ATEN/EKVM Cable For CS-1708 / CS-1716 / CS-1742 / CS-1744 / CL-1758 - 1.2 Meter Single KVM Cable
2L-5202U	ATEN/EKVM Cable For CS-1708 / CS-1716 / CS-1742 / CS-1744 / CL-1758 - 1.8 Meter Single KVM Cable
2L-5203U	ATEN/EKVM Cable For CS-1708 / CS-1716 / CS-1742 / CS-1744 / CL-1758 - 3 Meter Single KVM Cable
2L-5205U	ATEN/EKVM Cable For CS-1708 / CS-1716 / CS-1742 / CS-1744 / CL-1758 - 5 Meter Single KVM Cable
2L-1701	ATEN/EDaisy Chain Cable For CS1004 / CS1008 / CS1716 - 1.2 Meter Single KVM Cable
2L-1703	ATEN/EDaisy Chain Cable For CS1004 / CS1008 / CS1716 - 3.0 Meter Single KVM Cable
2L-1705	ATEN/EDaisy Chain Cable For CS1004 / CS1008 / CS1716 - 5.0 Meter Single KVM Cable
2L-1701P	ATEN/EKVM Cable For CS1004 / CS1008 - 1.2 Meter Single KVM Cable With Peripheral Connections
2L-1703P	ATEN/EKVM Cable For CS1004 / CS1008 - 3.0 Meter Single KVM Cable With Peripheral Connections
2L-1705P	ATEN/EKVM Cable For CS1004 / CS1008 - 5.0 Meter Single KVM Cable With Peripheral Connections

ATEN VIDEO SPLITTERS

ATEN Video Splitters - For Displaying 1 Image Across Multiple Screens

VS-92A	ATEN/EVS92 2 Port Video Splitter - Splits 1 Signal To 2 Outputs - Signal Up to 65m - Max Res : 1920x1440 @ 60Hz - Cables Required
VS-94A	ATEN/EVS94 4 Port Video Splitter - Splits 1 Signal To 4 Outputs - Signal Up to 65m - Max Res : 1920x1440 @ 60Hz - Cables Required
VS-98A	ATEN/EVS98 8 Port Video Splitter - Splits 1 Signal To 8 Outputs - Signal Up to 65m - Max Res : 1792x1344 @ 60Hz - Cables Required
VS-162	ATEN/EVS162 2 Port DVI Video Signal Splitter - Splits 1 DVI Signal To 2 DVI Outputs - Max Res : 1600x1200 @ 60Hz - Cables Required
VS-164	ATEN/EVS164 4 Port DVI Video Signal Splitter - Splits 1 DVI Signal To 4 DVI Outputs - Max Res : 1600x1200 @ 60Hz - Cables Required

ATEN VIDEO SWITCHES

ATEN Video Switches - For Switching Between The Display On 2 Or More PC's

VS-291	ATEN/EVS291 2 Port Video Switch - Switch Between 2 PC's Using 1 Display - High Res : 1920x1440 - 10 Meters Max - Cables Required
VS-491	ATEN/EVS491 4 Port Video Switch - Switch Between 4 PC's Using 1 Display - High Res : 1920x1440 - 10 Meters Max - Cables Required
VS-881	ATEN/EVS881 8 Port IR Video Switch - Switch Between 8 PC's Using 1 Display - High Res : 1920x1440 - Incl. Remote - Cables Required
VE120	ATEN/EVE120 Video Signal Extender - 1x Transmitter & 1x Receiver - Boosts Signal Up To 130m : 640x480 @ 130m / 1600x1200 @ 100m

ATEN VIDEO CABLES

ATEN Video Extension Cable Kits

2L-2401	ATEN/EVideo Cable - Male To Female - 1.8 Meter Single Video Signal Cable
2L-2403	ATEN/EVideo Cable - Male To Female - 3.0 Meter Single Video Signal Cable
2L-2406	ATEN/EVideo Cable - Male To Female - 6.0 Meter Single Video Signal Cable
2L-2410	ATEN/EVideo Cable - Male To Female - 10.0 Meter Single Video Signal Cable
LIN5-15X1-X11G	ATEN/EVideo Cable - Male to Male - 1.2 Meter Single Video Signal Cable - Works With VS-291/491-881 Series

ATEN DATA SWITCHES

ATEN Auto Device Switches

AF-142	ATEN/EA142 ParaHub - Parallel (1284B) First Come/First Serve Data Switch (Bi-Tronics & Centronics Compatible) - Supports File Transfer Func.
US-221	ATEN/EUS221 USB 2.0 Switch - 2 Port Peripheral Switch - Allows For 2 Machines To Control 1 USB Based Device - Button Or Windows Control

ATEN ATEN International Co., Ltd.
www.aten.com
R Indicates Order On Request

US-421 ATEN/EUS421 USB 2.0 Switch - 4 Port Peripheral Switch - Allows For 4 Machines To Control 1 USB Based Device - Button Or Windows Control

ATEN CONVERTER CABLES

ATEN Cable Converter Products

UC1284B ATEN/EUC1284B Converter Cable - Standard 1.8 Meter USB To Parallel Converter Cable - USB 1.1 Spec / IEEE1284B (Parallel Device To USB Port)
UE250 ATEN/EUE250 Extension Cable - Standard 5M USB 2.0 Specification Extension Cable For USB 2.0 Devices
UN201 ATEN/EUN201 DataLink Cable - Specialised 1.8 Meter USB 2.0 Linking Cable - Acts As Ethernet Link For File Transfer & Device Sharing
UC100KMA ATEN/EUC100KMA Converter Unit - Specialised PS/2 Keyboard & Mouse To USB Converter - USB 1.1
UC-232A ATEN/EUC232A Converter Unit - Specialised USB To Serial Converter - USB 1.1

POWERCOM UPS

PowerCom Line-Interactive UPS

BNT-600AP Powercom/ELine-Interactive 600VA, AVR, RS232 & RJ11, 1xSurge, 3xBackup, Fax/Modem, Recharge: 6-Hrs (90%), 25-35min(PC& Monitor)
BNT-1000AP Powercom/ELine-Interactive 1000VA, AVR, RS232 & UTP, 1xSurge, 4xBackup, Fax/Modem, Recharge: 6-Hrs (90%), 60-70min
BNT-1500AP Powercom/ELine-Interactive 1500VA, AVR, RS232 & UTP, 1xSurge, 4xBackup, Fax/Modem, Recharge: 6-Hrs (90%), 60-70min
BNT-2000AP Powercom/ELine-Interactive 2000VA, AVR, RS232& UTP, 1xSurge, 4xBackup, Fax/Modem, Recharge: 6-Hrs (90%), 80-90min

PowerCom Rackmountable Line interactive UPS

KIN-1000RM Powercom/ELine-interactive, Rack-Mountable, 1000VA (2U), AVR, RS232 & UTP, 1xSurge, 4xBackup, Fax/Modem, Recharge: 8-Hrs (90%)
KIN-1500RM Powercom/ELine-interactive, Rack-Mountable, 1500VA (2U), AVR, RS232 & UTP, 2xSurge, 4xBackup, Fax/Modem, Recharge: 8-Hrs (90%)
KIN-2200RM Powercom/ELine-interactive, Rack-Mountable, 2200VA (2U), AVR, RS232 & UTP, 2xSurge, 4xBackup, Fax/Modem, Recharge: 8-Hrs (90%)
KIN-3000RM Powercom/ELine-interactive, Rack-Mountable 3000VA (2U), AVR, RS232 & UTP, 2xSurge, 6xBackup, Fax/Modem, Recharge: 8-Hrs (90%)

PowerCom On-Line UPS

VGD-1000 Powercom/EOnline 1000VA, PFC, LCD, CPU, RS232 & UTP, 4xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half Load)
VGD-2000 Powercom/EOnline 2000VA, PFC, LCD, CPU, RS232 & UTP, 4xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half Load)
VGD-3000 Powercom/EOnline 3000VA, PFC, LCD, CPU, RS232 & UTP, 4xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half Load)
VGD-6000 Powercom/EOnline 6000VA, PFC, LCD, CPU, RS232 & UTP, 8xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half Load)
VGD-10000 Powercom/EOnline 10000VA, PFC, LCD, CPU, RS232 & UTP, 8xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half Load)

PowerCom Rackmountable On-Line UPS

VGD-1000RM Powercom/EOnline, Rack-Mountable, 1000VA (2U), PFC, LCD, CPU, RS232 & UTP, 4xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half)
VGD-1500RM Powercom/EOnline, Rack-Mountable, 1500VA (2U), PFC, LCD, CPU, RS232 & UTP, 4xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half)
VGD-2000RM Powercom/EOnline, Rack-Mountable, 2000VA (2U), PFC, LCD, CPU, RS232 & UTP, 4xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half)
VGD-3000RM Powercom/EOnline, Rack-Mountable, 3000VA (2U), PFC, LCD, CPU, RS232 & UTP, 4xOutlets, Fax/Modem, Recharge: 4-Hrs (90%), 7/15min (Full/Half)

COOLMASTER COOLING

Coolermaster Water Cooling Solutions

AQUAGATE1 Cooler Masterô AquaGate - Liquid Cooling System - Aluminium Metal Case, Adjustable Fan Speed-2000-4600RPM
Universal P4, K7 and K8, Copper And Acrylic Water Block Material - Weight approx.. 2kg (Does Not Work On Socket 775)
AQUA-MINI Cooler Masterô AquaGate Mini - Liquid Cooling System - 120mm FAN connected to Cooling unit, Adjustable Fan Speed 800-2800RPM
Universal P4, K7 and K8, Copper Based Water Block Material - Weight aprox.. 1KG

Coolermaster CPU Coolers

FAN+8JD1F Cooler Masterô AMD Cooler (CP5-8JD1F-0L) - Aluminium Insert LOW NOISE - Athlon XP Up To 3200+ : 2500RPM

Coolermaster Special Universal Coolers - Suitable For both P4 and K8

HYPER48 Cooler Masterô Hype48 Cooler - 4 Way Heatpipe Solid Copper Universal Cooler For Intel P4 (478 / 775) & AMD K8 (754 / 939) - High Performance

Coolermaster Special Coolers - AMD K7

AERO7 LITE Cooler Masterô Aero7 Lite AMD Blower Fan With Alloy Extrusion Heatsink w/Copper Insert
AERO7 Cooler Masterô Aero7 AMD Skived Copper Fin Heatsink With Blower & Fan Speed Control

Coolermaster Case Fans

TBF-B12-E1 **NEW** Cooler Masterô 120mm TRI-BLADE System Fan, 70,000hrs Life expectancy, Dual Ball Bearing, Super Airflow from Super Big Fan blades

Coolermaster Neon Case Fans

SUF-S12-ER **RED** Cooler Masterô RED 120mm UV Silent FAN, Ultra Silent 22dba, High Transparency, Bright and Colourful, Sleeve Bearing

COOLMASTER PRODUCTS

Coolermaster Control Panel Devices

AEROGATE1 Cooler Masterô AeroGate™ 4 Channel Fan Speed Controller With 3 LED Colours
AEROGATE2 Cooler Masterô AeroGate 2™ 4 Channel Monitored Fan Speed Controller With 7 LED Colours
AEROGATE3 Cooler Masterô AeroGate 3™ 4 Channel Monitored Fan Speed Controller and Temperatures, Temp Alert Threshold 10 - 90 Degrees
LLC-U02 Cooler Masterô Musketeer™ 3 Dial Display For Voltage, Volume & Temperature Display's With Adjustor
LLC-U03 Cooler Masterô Musketeer 2™ 3 Dial Display For Voltage, Volume & Temperature Display's With Adjustor + 7 Colour Adjustable LED

Coolermaster Hard Drive Coolers

LHD-V07-US Cooler Masterô CoolDrive LITE HDD Cooler - Aluminium Front Bezel - NO LED - 1 x 44mm Cross Blow FAN
LHD-V04 Cooler Masterô CoolDrive 4 HDD Cooler - 4 Channel Fan Speed Control & 7 Changeable LED Colours
COOLDRIVE6 Cooler Masterô CoolDrive 6 HDD Cooler - Full Aluminium case, 4.4cm blower, 4 Channel Fan Speed Control & LED Colours

Coolermaster Cathode Tubes (2 Tubes Per Kit)

DFL-UD1-EB **BLUE** Cooler Masterô Cold Cathode Blue Tube - Dual Tube + Controller
DFL-UD1-ER **RED** Cooler Masterô Cold Cathode Red Tube - Dual Tube + Controller
DFL-UD1-ET **RGD** Cooler Masterô Tri-Colour Cold Cathode Red / Green / Blue Tube - Dual Tube + Controller

Coolermaster Cooling Products

PTK-002 Cooler Masterô Premium Thermal Compound (Shin Etsu) - Unique Silicone Thermal Transfer Compound

Coolermaster Rounded Data Cables

TUC-F24-EB Cooler Masterô BLUE Floppy Round UV Cable 18" - Increase Airflow in chassis
TUC-F24-ER Cooler Masterô RED Floppy Round UV Cable 18" - Increase Airflow in chassis
TUC-A24-EB Cooler Masterô BLUE Ultra ATA-100/133 Round UV IDE Cable 24" - Connects up to 2 devices, increase Airflow in chassis
TUC-A24-ER Cooler Masterô RED Ultra ATA-100/133 Round UV IDE Cable 24" - Connects up to 2 devices, increase Airflow in chassis
TUC-S24-EB Cooler Masterô BLUE SATA Round UV Cable 24" - increase Airflow in chassis
TUC-S24-ER Cooler Masterô RED SATA Round UV Cable 24" - increase Airflow in chassis

VANTEC PRODUCTS

Vantec Component Cooling Devices

CCB-A4C **NEW** Vantec/ElceBerq4 Pro Copper VGA GPU Cooling Kit - Vantec Iceberq4 Pro Cooling Fan w/Blue LED + Copper BGA Ramsinks



DDR-A1C	NEW	VantecÆCopper Heat Spreader Memory Cooler - Full Copper Heat Spreader For 184-Pin & 240-Pin DIMM Memory Modules
---------	-----	---

Vantec Cable Sleeving Kits For PSU Cabling

CSK80UVBK	VantecÆCable Sleeving Kit - Protect Your Wires, Improve Airflow While Reducing Heat - BLACK
CSK80UVGR	VantecÆCable Sleeving Kit - Protect Your Wires, Improve Airflow While Reducing Heat - GREEN
CSK80UVRD	VantecÆCable Sleeving Kit - Protect Your Wires, Improve Airflow While Reducing Heat - RED
CSK80UVYL	VantecÆCable Sleeving Kit - Protect Your wires, Improve Airflow While Reducing Heat - YELLOW

Vantec Molex Connector Replacement Kits

MCK10UVBL	VantecÆMolex Connector Kit w/ remover - EZ-Grip Female Head - BLACK
MCK10UVBL	VantecÆMolex Connector Kit w/ remover - EZ-Grip Female Head - BLUE
MCK10UVGR	VantecÆMolex Connector Kit w/ remover - EZ-Grip Female Head - GREEN
MCK10UVRD	VantecÆMolex Connector Kit w/ remover - EZ-Grip Female Head - RED
MCK10UVYL	VantecÆMolex Connector Kit w/ remover - EZ-Grip Female Head - YELLOW

Vantec Mainboard Slot Protector Kit - For PCI, AGP & Memory Slots

SPK08UVYL	VantecÆSlot Protector Kit - For Case Modding - Protect PCI and RAM slots from dust - Turns BLUE/RED under UV - YELLOW
SPK08UVOR	VantecÆSlot Protector Kit - For Case Modding - Protect PCI and RAM slots from dust - Turns BLUE/RED under UV - ORANGE
SPK08UVGR	VantecÆSlot Protector Kit - For Case Modding - Protect PCI and RAM slots from dust - Turns BLUE/RED under UV - GREEN
SPK08UVBK	VantecÆSlot Protector Kit - For Case Modding - Protect PCI and RAM slots from dust - Turns BLUE/RED under UV - BLACK

Vantec Vibration Dampening Kit

VDK-80	VantecÆVibration Dampener Kit - 80mm Case Fan
VDK-PSU	VantecÆVibration Dampener Kit - for Power Supply

Vantec Control Panel Series For Fan & Cathode Light Control

Vantec Multi Function Panel

NXP101	VantecÆNexus - 1x CPU Fan Speed Controller - Front Panel 2x USB - 1x IEEE1394 - System Temp Monitor. Switch - LCD - 3 Faceplates - 5.25"
--------	--

Vantec Multi Function Controller

NXP205-BK	VantecÆNexus - 4 Channel Fan Controller - Fits Into 3.5" Bay - Aluminium with BLUE LED Light - BLACK
NXP205-SL	VantecÆNexus - 4 Channel Fan Controller - Fits Into 3.5" Bay - Aluminium With BLUE LED Light - SILVER

Vantec Fun & Light Controller

NXP301	VantecÆNexus - 3x Fan Controller + 1x Light Controller - 1 x LED + 2 x BLUE CCFL Tubes - Aluminium - 3-channel - Fits in 5.25" bay
NXO305-BK	VantecÆNexus - 3x Fan Controller + 1x Light Controller - 1 x BLUE LED + 2 x BLUE CCFL Tubes - BLACK - 3-channel - Fits in 3.5" Bay
NXO305-SL	VantecÆNexus - 3x Fan Controller + 1x Light Controller - 1 x BLUE LED + 2 x BLUE CCFL Tubes - SILVER - 3-channel - Fits in 3.5" Bay

Vantec Hard Drive Coolers

VTXCO1BK	VantecÆVortexô Hard Drive Cooler - BLACK - LCD, 3x Replaceable Dust Filters, 3x Level Adjustable Fan Speeds, Rubber Absorption
VTXCO1SL	VantecÆVortexô Hard Drive Cooler - BLACK - LCD, 3x Replaceable Dust Filters, 3x Level Adjustable Fan Speeds, Rubber Absorption

Vantec Cooling & Peripheral Solutions

Vantec UV LED Fans

SP80UVL-BL	VantecÆBLUE UV LED Fans - 80mmx80mmx25mm - 2900RPM - Ball-Bearing
------------	---

Vantec Fan Card


SPFC71BL	VantecÆFan Card - Dual UV Fan Card - BLUE UV LED - 2 x 70mmx70mmx15mm - 2400-4000RPM fan - Ball Bearing
----------	---

Vantec CCFL series

SP12CC2-UV	VantecÆCCFL Light Tube - use with NXP301 - UV
------------	---


ACCESSORIES : JETDIRECTS

JETDIRECT CARDS

HP JetDirect Card			
HP-J6035D	J6035D	HPÆJetDirect 175X -Single Port USB External Ethernet 10/100	
HP-J3263A	J3263A	HPÆJetDirect 300X -Single Port Parallel External Fast Ethernet 10/100	
HP-J3265A	J3265A	HPÆJetDirect 500X - 3 Port External Parallel Fast Ethernet 10/100TX + 10Base-2	
HP-J7934G	J7934A	HPÆJetDirect 620N- Internal Ethernet/Fast Ethernet (10/100Base-TX, 802.3)	
HP-J7942A	J7942A	HPÆJetDirect en3700- Fast Ethernet External Print Server	

HP PRINTING & IMAGING : MEMORY

PRINTER MEMORY

HP Transcend Printer Memory			
T8MLJ4000	C4141A	TranscendÆ8MB - LaserJet 4000/n/t/tn, 4050/n/t/tn, 5000/gn/n, 8000/dn/n, 8100/dn/n, CLJ-4500/dn/n	
T16MHP7843	C7843A	TranscendÆ16MB - LaserJet 1200, 1220, 2200/d/dn/dtn, 3300MFP, 4100/n/tn/dtn, 4100MFP, 8150, 8550/n/dn/MFP/gn	
T16MLJ4000	C4142A	TranscendÆ16MB - LaserJet 3200, 4000/n/t/tn, 4050/n/t/tn, 5000/n/gn, 8000/dn, 8100, 8150, 4500, 8500, 8550/n/dn/MFP/gn	
T32MHP7845	C7845A	TranscendÆ32MB - LaserJet 3300MFP, 4100/n/tn/dtn, 4100MFP, 4200, 4300/n/tn/DTN, 5100, 9000/n/dn, CLJ-2500/l/n/tn	
T32MLJ4500	C4143A	TranscendÆ32MB - LaserJet 1200/n, 1220, 2200/d/dn/dtn, 4000n/t/tn, 4050n/t/tn, 5000n/gn, 8000, 8100, 8150, 4500, 8550	
T64MHP7846	C7846A	TranscendÆ64MB - LaserJet 1200, 1220, 2200/d/dn, 3300, 4050, 4100/n/dn/dtn, 5100, 8000, 8150, 9000/n/dn, 8550/n/dn/MFP	
T128HP9121	C9121A	TranscendÆ128MB - LaserJet 4100/n/tn/dtn, 4100MFP, 4200, 4300/n/tn/dtn, 9000/n/dn, CLJ-2500/l/n/tn	
T128MHP238	C2388A	TranscendÆ128MB - DesignJet 500/ps, 800/ps, InkJet2600DN	